

TWN3 MINI READER MIFARE NFC

INTEGRATION MANUAL




TABLE OF CONTENTS

| | | |
|------|---|---|
| 1 | INTRODUCTION..... | 3 |
| 1.1 | ABOUT THIS MANUAL | 3 |
| 1.2 | ABOUT TWN3 MINI READER MIFARE NFC..... | 3 |
| 1.3 | ELATEC SUPPORT..... | 3 |
| 1.4 | REVISION HISTORY..... | 3 |
| 2 | SAFETY INFORMATION..... | 3 |
| 3 | INTEGRATION INSTRUCTIONS..... | 4 |
| 3.1 | GENERAL..... | 4 |
| 3.2 | LIST OF APPLICABLE RULES | 4 |
| 3.3 | SPECIFIC OPERATIONAL USE CONDITIONS..... | 4 |
| 3.4 | LIMITED MODULE PROCEDURES | 4 |
| 3.5 | TRACE ANTENNA DESIGN..... | 4 |
| 3.6 | RF EXPOSURE CONSIDERATIONS..... | 4 |
| 3.7 | ANTENNAS | 4 |
| 3.8 | LABEL AND COMPLIANCE INFORMATION | 5 |
| 3.9 | TEST MODES AND ADDITIONAL TESTING REQUIREMENTS..... | 5 |
| 3.10 | MECHANICAL INSTALLATION..... | 5 |
| 3.11 | ELECTRICAL CONNECTION..... | 5 |
| 3.12 | PROGRAMMATION/SOFTWARE INTEGRATION | 5 |
| 4 | COMPLIANCE STATEMENTS | 6 |
| 4.1 | EU..... | 6 |
| 4.2 | RF EXPOSURE COMPLIANCE | 6 |
| 5 | INTEGRATOR AND HOST REQUIREMENTS | 6 |
| | APPENDIX | 7 |
| | A – TERMS AND ABBREVIATIONS..... | 7 |
| | B – RELEVANT DOCUMENTATION | 7 |

1 INTRODUCTION

1.1 ABOUT THIS MANUAL

This integration manual explains how to integrate ELATEC RFID reader module TWN3 Mini Reader MIFARE NFC into a host device and is mainly intended for integrators and host manufacturers.

The content of this integration manual is subject to changes without prior notice and printed versions might be obsolete. Integrators and host manufacturers are required to use the latest version of this integration manual.

For the sake of better understanding and readability, this manual might contain exemplary pictures, drawings and other illustrations. Depending on your product configuration, these pictures might differ from the actual design of your product.

1.2 ABOUT TWN3 MINI READER MIFARE NFC

ELATEC TWN3 Mini Reader MIFARE NFC is designed for integration into machines, handheld computers or any other device. The focus has especially been set on size, low power consumption, price and flexibility. Thanks to its compact dimensions, integration directly on a PC board is possible.

1.3 ELATEC SUPPORT

In case of any technical questions, refer to the ELATEC website (www.elatec.com) or contact ELATEC technical support at:

support-rfid@elatec.com

1.4 REVISION HISTORY

| VERSION | CHANGE DESCRIPTION | EDITION |
|---------|--------------------|---------|
| 01 | First edition | 10/2021 |

2 SAFETY INFORMATION

- ELATEC TWN3 Mini Reader MIFARE NFC is an electronic component and should be installed exclusively by a trained and qualified personnel.
- ELATEC recommends the integrators to follow general ESD protective measures during the installation of TWN3 Mini Reader MIFARE NFC into a host device, e.g. the use of an antistatic wristband or special gloves.
- The integrator should not touch the antennas (if not shielded), printed circuit boards, connectors or other sensitive components on TWN3 Mini Reader MIFARE NFC.
- Before installing TWN3 Mini Reader MIFARE NFC into a host device, the integrator should also make sure that he/she has read and understood the ELATEC technical documentation related to TWN3 Mini Reader MIFARE NFC, as well as the technical documentation related to the host device. In particular, the instructions and safety information given in the user manual of TWN3 Mini Reader MIFARE NFC should be read carefully and listed in the technical documentation of the host manufacturer as well, as soon as these instructions and safety information are required for a safe and proper use of the host device containing TWN3 Mini Reader MIFARE NFC.

3 INTEGRATION INSTRUCTIONS

3.1 GENERAL

TWN3 Mini Reader MIFARE NFC may be installed in any host devices, as long as it is operated under the operational conditions stated in the user manual and other technical documents (e.g. data sheet). TWN3 Mini Reader MIFARE NFC is equipped with one integrated antenna. Thus, no antenna installation is required.

3.2 LIST OF APPLICABLE RULES

Refer to the approval certificates, grants and declarations of conformity issued for TWN3 Mini Reader MIFARE NFC, and to Chapter "Compliance Statements" for a detailed list of the rules applicable to TWN3 Mini Reader MIFARE NFC.

3.3 SPECIFIC OPERATIONAL USE CONDITIONS

There are no specific operational use conditions for TWN3 Mini Reader MIFARE NFC other than the conditions mentioned in the user manual and data sheet of TWN3 Mini Reader MIFARE NFC. The host manufacturer or integrator must ensure that these use conditions comply with the use conditions of the host device. In addition, these use conditions must be stated in the user manual of the host device.

3.4 LIMITED MODULE PROCEDURES

n/a

3.5 TRACE ANTENNA DESIGN

n/a

3.6 RF EXPOSURE CONSIDERATIONS


The module antenna(s) must be installed to meet the RF exposure compliance separation distance of 4 cm and any additional testing and authorization process as required.

Refer to Chapter "Compliance Statements" for detailed information about the radio frequency exposure conditions applicable to TWN3 Mini Reader MIFARE NFC.

These RF exposure conditions must be stated in the end-product manual(s) of the host product manufacturer.

3.7 ANTENNAS

TWN3 Mini Reader MIFARE NFC is equipped with the following antenna:



HF antenna (13.56 MHz)

Dimensions: 27.5 x 25 mm / 1.08 x 0.98 inch
Number of turns: 4

For more information, refer to the related product data sheet or other technical documents.

3.8 LABEL AND COMPLIANCE INFORMATION

Refer to Chapters “Compliance Statements” and “Integrator and Host Requirements” for detailed label and compliance information.

3.9 TEST MODES AND ADDITIONAL TESTING REQUIREMENTS

No specific testing method has been defined by ELATEC for TWN3 Mini Reader MIFARE NFC. TWN3 Mini Reader MIFARE NFC has been tested and found in compliance with the specifications noted on the approval certificates and other relevant approval documents. However, the integrator is still responsible for any additional testing and authorization process required for the end product.

3.10 MECHANICAL INSTALLATION

The module is plugged onto socket connectors. No further mechanical fixation is provided.

3.11 ELECTRICAL CONNECTION




Fig. 1 - Pin spacing 2.54 mm

| PIN | NAME | DESCRIPTION |
|-----|----------|--------------------------------|
| 1 | RESET | Asynchronous reset |
| 2 | PWRDWN | Hard power down |
| 3 | GND | Ground |
| 4 | VCC | 3.3 – 5 V |
| 5 | RXD/MOSI | UART/SPI receiver input |
| 6 | TXD/MISO | UART/SPI transmitter input |
| 7 | SCK | SPI serial clock input |
| 8 | SS | SPI slave select input |
| 9 | VSAM | 3.0V regulated supply for SAM |
| 10 | SAM_IO | Bidirectional SAM I/O line |
| 11 | GPIO3 | General purpose input/output 3 |
| 12 | GPIO2 | General purpose input/output 2 |
| 13 | GPIO1 | General purpose input/output 1 |
| 14 | GPIO0 | General purpose input/output 0 |
| 15 | SAM_CLK | SAM clock output |
| 16 | SAM_RST | SAM reset output |

3.12 PROGRAMMATION/SOFTWARE INTEGRATION

n/a

4 COMPLIANCE STATEMENTS

4.1 EU

TWN3 Mini Reader MIFARE NFC is in compliance with the EU directives and regulations as listed in the respective declaration of conformity.

4.2 RF EXPOSURE COMPLIANCE

RF exposure statement (mobile and fixed devices)

This device complies with the RF exposure requirements for mobile and fixed devices. However, the device shall be used in such a manner that the potential for human contact during normal operation is minimized.

5 INTEGRATOR AND HOST REQUIREMENTS

Compliance statements

All statements listed in Chapter "Compliance statements" of this integration manual must be also listed in the user manual of the host device.

Special accessories

Where special accessories such as shielded cables and/or special connectors are required to comply with the emission limits, the instruction manual shall include appropriate instructions on the first page of the text describing the installation of the device.

Simultaneous transmission

When the host product supports simultaneous-transmission operations the host manufacturer needs to check if there are additional RF exposure filing requirements due to the simultaneous transmissions. When additional application filing for RF exposure compliance demonstration is not required (e. g. the RF module in combination with all simultaneously operating transmitters complies with the RF exposure simultaneous transmission SAR test exclusion requirements), the host manufacturer may do his own evaluation without any filing, using reasonable engineering judgment and testing for confirming compliance with out-of-band, restricted band, and spurious emission requirements in the simultaneous-transmission operating modes. If additional filing is required please contact the person at ELATEC GmbH responsible for certification of the RF module.

APPENDIX

A – TERMS AND ABBREVIATIONS

| TERM | EXPLANATION |
|----------------------|--|
| host device | Also “host” or “host product”. Device in which an RFID module is intended to be installed for operation. |
| Integrator | Responsible party for the integration of an RFID module into a host device. The integrator might be the module manufacturer, the host manufacturer, the end user or any other third party. |
| modular type | Physical configuration in which a modular transmitter operates when installed within a host device. It can be a single-modular, a limited single-modular, a split-modular or a limited split-modular type. |
| n/a | Not applicable |
| RFID (reader) module | Device intended to be used within another device or product. Depending on the equipment configuration and intended use, an RFID module has to meet different requirements to get a modular grant. |

B – RELEVANT DOCUMENTATION

ELATEC documentation

- TWN3 Mini Reader MIFARE NFC data sheet
- TWN3 Mini Reader MIFARE NFC functional description
- TWN3 Mini Reader MIFARE NFC user manual

External documentation

| Document name | Document title/description | Source |
|---------------|---|---------------------------|
| n/a | Technical documentation related to the host product | Host product manufacturer |

For more information about this integration manual or TWN3 Mini Reader MIFARE NFC, go to www.elatec.com or contact ELATEC.



ELATEC

RFID Systems

ELATEC GMBH

Zeppelinstr. 1 • 82178 Puchheim • Germany
P +49 89 552 9961 0 • F +49 89 552 9961 129 • E-mail: info-rfid@elatec.com
elatec.com

Elatec reserves the right to change any information or data in this document without prior notice. Elatec declines all responsibility for the use of this product with any other specification but the one mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification. Disclaimer: All names used in this document are registered trademarks of their respective owners.

© 2021 ELATEC GmbH – TWN3 Mini Reader MIFARE NFC integration manual DocRev1 – 10/2021